



NAME: CERE DI POMPEI BASE NEUTRA
CODE: 221.0000

CLASSIFICATION: water based metallic glaze, with semi covering pearlescent wax.

KIND OF USE: veil coating suitable for any surface and place, in order to protect and decorate them. Its semicovering film is in contrast with the washable coloured paint or the white primer, it increases the chromatic effect and produces different kinds of brilliance and effect from glazed to satin according to the application.

COLOUR : Transparent

Finish: glossy

CHEMICAL COMPOSITION: water based wax emulsion

SPECIFIC WEIGHT :1.020+/-0,030 kg/lt

VISCOSITY OF THE PRODUCT : thick paste

APPLICATION SYSTEM : brush , plastic spatula, sponge

DILUTION : ready to use, if necessary add 3% of water, maximum

MEDIUM OUTPUT mq/lt per coat : 10-15 mq with one coat

DRYING: with air at 20°C and 60% relative humidity

Application at +5°C minimum

out of touch	in the depth	time to paint over
1hr	1-2hrs	6-8hrs

TABLE DIR.2004/42/CE

A/l-BA Product= Decorative paint

limits UE (2010)=200 gr/Lt

C.O.V. gr/lt=100gr/Lt.

Dilution for application= 3% with water

C.O.V. (ready to be used) gr/Lt.= Max 100gr/Lt.

PREPARATION OF THE SURFACE : on levelled off surface apply a coat of acrylic fixative SPECIAL FISXATIVE. Go on with smooth finish washable paint such as MIZAR or textured finish such as TEXTURE; or with a decorative such as ANTIQUUS.

APPLICATION CYCLES : when the base is completely dry, apply CERA DI POMPEI with any tool, go over wet on wet spreading it accurately on surface. To obtain special chromatic effects, apply Cere di Pompei tone-on-tone or with contrasting tones, then removing excess wax with a synthetic sponge. Always apply the product from corner to corner and from ceiling to wall without interruption.

STABILITY IN STOCK : 1 year at +5°/+35°C in the original sealed containers. Protect from freezing weather.

NOTE: Available in lithographed bucklets of 4L, 1L.

The information contained in this prospectus is, so far as to our knowledge is correct and accurate and must therefore be considered reliable. In any case, we cannot assume any responsibility, as the conditions of use are outside our strict control..



s.r.l. Via Caduti sul lavoro, 4 46019 Viadana (MN) ITALY - Tel. + 39 0375782083 Fax + 39 0375780055 www.sabercolor.com e-mail : info@sabercolor.com